



## 1 Identification of the substance/mixture and of the company/undertaking

• **Product identifier**

• **Trade name:**

Hilti Firestop Block CFS-BL / CFS-BL P

Hilti Firestop Plug CFS-PL

Hilti Firestop Cable Collar CFS-CC / CFS-RCC / CFS-RCC EXT

Hilti Firestop Module Box CFS-MB

Hilti Firestop Cushion CFS-CU

Hilti Firestop Board CP 675

Hilti Firestop Speed Sleeve CFS-SL

Hilti Firestop Retrofit Sleeve CFS-SL RK

Hilti Firestop Sleeve Kit CFS-SL SK

Hilti Firestop Gangplate CFS-SL GP

Hilti Firestop Cable Module CFS-T

Hilti Firestop Filler Module CFS-T FB

Hilti Firestop Plug Seal CFS-T RR

Hilti Firestop Plug Seal CFS-T RRS

Hilti Firestop Wedge Seal CFS-T WD120

Hilti Firestop Cast-In Device CFS-CID

Hilti Firestop Drop-In Device CFS-DID

Hilti Foil Tapes CS-FT all

Hilti Multifunctional Tapes CS-MFT all

Hilti Joint Sealing Tapes CS-JST all

Hilti Firestop Top Track Seal CFS-TTS

CP 651N

CP 653

CP 657

CP 658

CP 680

CP 681

• **Application of the substance / the preparation:** Construction chemicals

Refer to Hilti product literature, technical data sheets, 3<sup>rd</sup> party published listings and national approvals for specific application information. For more details please contact your local Hilti organization through <http://www.hilti.com>.

• **Manufacturer/Supplier:**

Hilti AG  
Feldkircherstr. 100  
Postfach 333  
FL-9494 Schaan  
Liechtenstein

Customer Service  
Phone +423 (0)844 84 84 85  
Fax +423 (0)844 84 84 86

## 2 Other information

A Material Safety Data Sheet is not required due to the classification of these products as “articles” according to Regulation (EC) No. 1907/2006 of 18 December 2006 / 29CFR 1910.1200 (U.S.A.). Consequently, these products are exempted from CLP / OSHA Labeling and MSDS requirements.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Informing department:**

chemicals.hse@hilti.com  
Tel.: +423 234 3004  
FAX.: +423 234 3462